



SAFETY DATA SHEET

LIQUID WOOLSAFE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name LIQUID WOOLSAFE
Product number S781

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses A safe and effective extraction cleaner for wool and stain resistant nylon carpets. WOOLSAFE Approved maintenance product for wool carpets and rugs. Controlled pH and optical brightener free. Can be used in conjunction with B107 Prespray Gold.

1.3. Details of the supplier of the safety data sheet

Supplier www.prochem.co.uk
Prochem Europe Ltd
Oakcroft Road
Chessington
Surrey
KT9 1RH

Telephone: 020 8974 1515
Fax: 020 8974 1511
sales@prochem.co.uk

1.4. Emergency telephone number

Emergency telephone 020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Eye Irrit. 2 - H319

Environmental hazards

Not Classified

Classification (67/548/EEC or 1999/45/EC)

Human health

Irritating to eyes. Prolonged or repeated exposure may cause the following adverse effects: skin irritation and dermatitis. Considered to be a low inhalation hazard at normal workplace temperatures. Ingestion may cause: Gastrointestinal symptoms, including upset stomach. Nausea, vomiting.

Environmental

The product is expected to be biodegradable.

LIQUID WOOLSAFE**2.2. Label elements****Pictogram****Signal word**

Warning

Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P102 Keep out of reach of children.

P262 Do not get in eyes, on skin, or on clothing.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Detergent labelling

5 - < 15% phosphates, < 5% anionic surfactants, < 5% EDTA and salts thereof, < 5% non-ionic surfactants, < 5% perfumes, Contains Citral, DMDM Hydantoin, d-Limonene, Linalool, Iodopropynyl butylcarbamate

2.3. Other hazards

See section 8 for details of exposure limits.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

(2-Methoxymethylethoxy)propanol	5-10%
CAS number: 34590-94-8 EC number: 252-104-2	
Substance with a Community workplace exposure limit.	
Classification	Classification (67/548/EEC or 1999/45/EC)
Not Classified	-
Tetrapotassium pyrophosphate	1-5%
CAS number: 7320-34-5 EC number: 230-785-7	
Classification	Classification (67/548/EEC or 1999/45/EC)
Eye Irrit. 2 - H319	Xi;R36.
Sodium xylenesulphonate	1-5%
CAS number: 1300-72-7 EC number: 215-090-9	
Classification	Classification (67/548/EEC or 1999/45/EC)
Eye Irrit. 2 - H319	Xi;R36.
Alcohols C9-11, ethoxylated	<3%
CAS number: 68439-45-2 EC number: —	
Classification	Classification (67/548/EEC or 1999/45/EC)
Acute Tox. 4 - H302	Xn;R22. Xi;R41.
Eye Dam. 1 - H318	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

LIQUID WOOLSAFE

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention.

Ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Get medical attention.

Skin contact

Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.

Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact

Prolonged or repeated exposure may cause the following adverse effects: skin irritation and dermatitis.

Eye contact

Irritating to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Water spray, dry powder or carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Specific hazards

No unusual fire or explosion hazards noted.

Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Acids - organic.

5.3. Advice for firefighters

Special protective equipment for firefighters

No specific recommendations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

LIQUID WOOLSAFE

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep out of the reach of children. Store in closed original container at temperatures between 5°C and 30°C.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

(2-Methoxymethylethoxy)propanol

Long-term exposure limit (8-hour TWA): IOELV 50 ppm 308 mg/m³
Sk

IOELV = Indicative occupational exposure limit value.

Sk = Can be absorbed through skin.

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Side shield safety glasses are recommended when handling this product.

Hand protection

It is recommended that gloves are made of the following material: Nitrile rubber. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.

Hygiene measures

Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Clear liquid.

Colour

Yellow. Amber.

LIQUID WOOLSAFE

Odour

Lemon. Floral.

pH

pH (concentrated solution): 9.5 pH (diluted solution): 8.5 @ 1%

Initial boiling point and range

100°C

Flash point

Not applicable.

Evaporation rate

Not determined.

Upper/lower flammability or explosive limits

Not applicable.

Vapour pressure

Not determined.

Vapour density

Not determined.

Relative density

1.08

Solubility(ies)

Soluble in water.

Partition coefficient

Not determined.

Viscosity

Not determined.

Explosive properties

Not applicable.

Oxidising properties

Not applicable.

9.2. Other information**Other information**

None.

SECTION 10: Stability and reactivity**10.1. Reactivity**

There are no known reactivity hazards associated with this product.

10.2. Chemical stability**Stability**

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Not determined.

10.4. Conditions to avoid

Store in closed original container at temperatures between 5°C and 30°C. Protect from freezing and direct sunlight.

10.5. Incompatible materials**Materials to avoid**

Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Acids - organic.

LIQUID WOOLSAFE**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Toxicological effects**

Ingestion may cause: Gastrointestinal symptoms, including upset stomach. Nausea, vomiting. systemic effects Considered to be a low inhalation hazard at normal workplace temperatures. Deliberate excessive inhalation may cause headache, dizziness and breathing irritation. High concentrations of vapours may irritate respiratory system and lead to headache, fatigue, nausea and vomiting.

Acute toxicity - oral**ATE oral (mg/kg)**

25,000.0

Skin corrosion/irritation**Skin corrosion/irritation**

Prolonged or repeated exposure may cause the following adverse effects:, skin irritation and dermatitis.

Serious eye damage/irritation

Irritating to eyes.

Skin sensitisation

Contains Citral Limonene Linalool

Germ cell mutagenicity**Genotoxicity - in vivo**

No effects expected based upon current data.

Carcinogenicity

No effects expected based upon current data.

Reproductive toxicity**Reproductive toxicity - fertility**

No effects expected based upon current data.

LIQUID WOOLSAFE**Toxicological information on ingredients.****(2-Methoxymethylethoxy)propanol****Acute toxicity - oral****Acute toxicity oral (LD50 mg/kg)**

5,135

Species

Rat

Acute toxicity - dermal**Acute toxicity dermal (LD50 mg/kg)**

20

Species

Rabbit

Tetrapotassium pyrophosphate**Acute toxicity - oral****Acute toxicity oral (LD50 mg/kg)**

2,000

Species

Mouse

Acute toxicity - dermal**Acute toxicity dermal (LD50 mg/kg)**

4000

Species

Rabbit

Sodium xylenesulphonate**Acute toxicity - oral****Acute toxicity oral (LD50 mg/kg)**

7,200

Species

Rat

Acute toxicity - dermal**Acute toxicity dermal (LD50 mg/kg)**

2000

Species

Rabbit

Alcohols C9-11, ethoxylated**Acute toxicity - oral****Acute toxicity oral (LD50 mg/kg)**

300

Acute toxicity - dermal**Acute toxicity dermal (LD50 mg/kg)**

2000

SECTION 12: Ecological Information**12.1. Toxicity**

The product is not expected to be hazardous to the environment.

LIQUID WOOLSAFE

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Acute toxicity - fish

LC₅₀, 96 hours: >10000 mg/l, Fish

Acute toxicity - aquatic invertebrates

EC₅₀, 48 hours: 1919 mg/l, Daphnia magna

Acute toxicity - aquatic plants

IC₅₀, 72 hours: >969 mg/l, Algae

Sodium xylenesulphonate

Acute toxicity - fish

LC₅₀, : 1000 mg/l,

Acute toxicity - aquatic invertebrates

EC₅₀, : 1000 mg/l,

Acute toxicity - aquatic plants

IC₅₀, : 230 mg/l,

Alcohols C9-11, ethoxylated

Acute toxicity - fish

LC₅₀, : > 10 mg/l,

Acute toxicity - aquatic invertebrates

EC₅₀, : > 1 mg/l,

Acute toxicity - aquatic plants

IC₅₀, : > 10 mg/l,

12.2. Persistence and degradability

Persistence and degradability

The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Chemical oxygen demand

2.02

12.3. Bioaccumulative potential

Not known.

Partition coefficient

Not determined.

Ecological information on ingredients.

(2-Methoxymethylethoxy)propanol

Partition coefficient

: -0.35

12.4. Mobility in soil

Mobility

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

LIQUID WOOLSAFE

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

SECTION 14: Transport information

14.1. UN number

Not classified for transportation.

14.2. UN proper shipping name

None.

14.3. Transport hazard class(es)

ADR/RID class -

IMDG class -

14.4. Packing group

None.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

None.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

General information

Telephone 020 8974 1515

Revision date 04/12/2014

Revision 2

Supersedes date 19/07/2012

Signature Aaron Saunders

LIQUID WOOLSAFE

Risk phrases in full

R22 Harmful if swallowed.

R36 Irritating to eyes.

R41 Risk of serious damage to eyes.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Hazard statements in full

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

Disclaimer

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.