



## **COSHH Risk Assessment**

## JANGRO ACRYLIC FLOOR PRIMER

Product Code: BD125-5

| PROCESS STAGE   | POTENTIAL RISK   | CONTROL MEASURES   | ACTION REQUIRED   |
|---|--|--|---|
| DELIVERY  |  |  |   |
| Packaged in 5 litre polythene containers in<br>a cardboard carton. Delivered in single<br>containers if required. Polythene<br>containers incorporate handle for<br>carriage. Product is supplied ready to use. | Risk of spillage if the container is dropped. Risk of injury to user if dropped  | Trained employees should handle only single containers at any given time. Take care not to drop the containers. Ensure that the cap is secure at all times.  | Transfer containers to store immediately following delivery. Do not leave containers in areas where users of the building will come into contact with them.                         |
| STORAGE   |  |  |   |
| Containers must be stored in a cool, dry storage area. Product must be kept stored in its original container.   | Risk of emission of noxious fumes if involved in a fire – product itself is not flammable. Minimal risk of spillage if caps are firmly in place. Caps are not child proof. | Keep containers in secure storage areas. Store all containers below chest height to minimise risk of dropping. Restrict access to storage areas to authorised personnel. Store products away from oxidising material.  | Use oldest stock first. Make regular checks to ensure that storage area is clean and tidy. Make regular checks to ensure that containers are sound and are not rusted at the seams. |
| USAGE   |  |  |   |
| Product is dispensed in the desired quantity, undiluted, into a polish application tray. Product is applied using polish applicator.  | Risk of eye contact. Risk of ingestion. Risk of skin contact. Risk of spillage onto floor and into drainage system.  | Handle the containers with care. When dispensing into polish tray, wipe up any spillages or splashes immediately. Ensure that the container is returned to store when not in use. Always read the manufacturer's instructions prior to use. Ensure that the work area is well ventilated during use. | Ensure that operatives are aware of location of First Aid facilities and personnel.   |
| DISPOSAL  |  |  |   |
| Empty containers can be disposed of as normal waste. Recycle all containers wherever facilities are available.  | Small risk of skin or eye contact. Risk of contamination with other substances.  | Do not store any other material in the empty container. Ensure that the container is exhausted before disposal. Ensure that the product is not disposed of via a rainwater sewer (i.e. drain outside the building)   | Ensure that operatives wear Personal Protective Equipment at all times during disposal.   |
| Name of Assessor:   |  | Signed:  | Print:  |
| Position:   |  | Date of Assessment:  | Review Date:  |